



Campersales

Motorhome & Camper Specialist



Westfalia Amundsen 600E 160 HP Euro 6D

Automatic

£ Awaiting 2022 pricing



Exp. 2nd Qtr 2022

		Wheelbase "A"	4,035 mm
DAY	NIGHT	Length "B"	5,998 mm
		Width "C"	2,050 mm
		Height "D"	2,600 mm
		Freshwater	100 L
		Wastewater	100 L
		Gas bottle Capacity	2.8 Kg
		Battery	95 Ah
		Registered Seats	4
		Berths	2/3
		Convertible Bed	Ø.50 / 0,85 x 1,80 m
		Rear Bed	Ø.98 / 1,77 x 1,97 m

Tel : 01444 243888 Website: www.campersales.co.uk

Westfalia Amundsen 600 E

The Westfalia Amundsen 600E delivers practicality and comfort, boasting a light and spacious living area thanks to the two Remis top lift and tilt rooflights. The camper features a fully fitted kitchen with a 2-burner gas cooker and 65-litre compressor fridge plus a full bathroom with wash basin and toilet. With the Amundsen 600E you can be sure of a good night's rest, the camper has two large single beds in the rear which are also suitable for use as a massive transverse bed.

BASE VEHICLE

- Engines and gearboxes: Engines 2.3 l 120 HP Front-wheel drive Panel van Euro-6d-TEMP
- Manual gearbox 6-Speed
- Dimensions and weights: Length/Width/Height 5,998 / 2,050 / 2,600 mm
- Inside height 1,900 mm
- Wheelbase 4,035 mm
- Permissible total weight 3,300 kg
- Fuel tank 90 l
- Centrally controlled locking system with remote control incl. 2 keys
- Power-operated front windows
- Covers for sitting base and sitting box
- Captain chair seats with double arm rests and integrated headrest, height adjustment (driver seat), swivel brackets, same fabric as the seat bench („Amundsen“ fabric)
- Standard equipment base vehicle
- Cup-holder
- Tablet Holder incl. USB-Port
- Anti-lock braking system (ABS with electronic brake force distribution), mechanical brake assistant (MBA)
- Electronic immobilizer
- 12 V / 95 Ah Battery
- Driver airbag
- Tire sealant with compressor
- Tires 215 / 70 R 15
- ESP Traction +
- Daytime running light
- Start&Stop System (not for 120 HP)
- Floor with abrasion-proof plastic cover
- 2 comfortable single beds, 1,980 x 1,770 mm x 750 / 800 mm, total dimension of the bed is 1,980 / 1,770 x 1,970 mm incl. helping step
- Comfortable double seat rear bench with built-in seat belts and Isofix fitting points, fabric same as driver and passenger seat, compartments under the seat bench
- Table for living room, stored in the storage compartment over the drivers cabin
- Power-operated entry step
- 2-burner gas stove with piezo ignition and glass cover
- High-quality stainless-steel sink with pivotable fitting
- Drawers with ball bearing glides and soft close
- 65 l compressor on head side of kitchen
- Extensible kitchen working space
- Wet bath with shower tub and 2 basin wastes
- Rotating Thetford cassette toilet
- Washbasin with pull-out fitting with suction feet
- Towel holder, toilet roll holder
- High quality swing door for wet bath with stainless steel handle
- Hanging Space for Clothes behind seat bench
- Easy access and exit through the back door with optimised handle position even when bed is in sleeping position.
- Rear storage room under the rear bed, can be enlarged variably.
- High-quality inside covers with integrated storage compartments.
- Roof storage compartments LH and RH above the bed, RH with LED lights (600 E LED also LH)
- Roof storage compartment left side above the seat bench, incl. LED lights
- Clothes rail behind the wet bath
- Windows with privacy glassing, with built-in blind system and flyscreen, 1 side window right rear side, 1 side window front left-hand side next to seat bench and 1 in the sliding door
- 3 Remis Top lift and tilt rooflights (400 x 400 mm, sleeping area, wet bath, living area) with built-in blinds and flyscreens
- Truma-Combi diesel heating syst. 4 KW incl. CP Plus Display, air heated with integrated boiler, placed under the rear seat bench.
- LED rail above cooker / kitchen, sliding door area
- LED light in wet bath
- Westfalia central electronic system to control and monitor all on-board functions.
- On-board grid 12 / 230 V with battery charger, 1 powerful 95 Ah AGM battery
- Gas installation with safety box for bottles up to 6 kg; respectively 2,8 kg (540 D / 600 E)
- Fresh water tank inside, approx. 100 l
- Waste water tank under the floor approx. 100 l
- Cutlery Inlet

Misrepresentation Act: These particulars are set out as a general outline for the guidance of intending purchasers and do not constitute part of a contract. All descriptions, dimensions, reference to condition and other details are given in good faith and are believed to be correct, but intending purchasers should not rely on them as statements or representation of fact, but must satisfy themselves by inspection or otherwise as to the correctness of each item.